

MC60 BULLDOZER



JOHN DEERE

PARTS CATALOG


MC60
BULLDOZER

PC132 (01NOV54) English

JOHN DEERE WELLAND WORKS
PC132 (01NOV54)


LITHO IN THE U.S.A. (REVISED)
ENGLISH





MC60 Bulldozer—For John Deere Model "MC" Tractor and "40" Crawler Tractor with Three- and Four-Roller Track

Manufactured 1950-1954




John Deere Model "MC" Tractor with MC60 Bulldozer

INDEX

Blade and Braces	3
Depth Shoes	6
End Plates	6
Frame	5
Lift Shaft and Supports	4


BLADE AND BRACES



19271


Key	Part No.	Year	Description
1	12H 13 R	(-)	Washer, Lock, 1/2" (8 used)
2	2H 624 H	(-)	Bolt, Cge., 1/2" x 1-1/2", with Hex. Nut (8 used)
3	W 227 FW	(-)	Point, Blade
4	AW 55 FC	(-)	Blade, with Point
5	8H 2635 C	(-)	Bolt, Mach., Hex. Hd., N.F. Thread, 3/4" x 2" with Hex. Nut (2 used)
6	12H 17 R	(-)	Washer, Lock, 3/4" (2 used)
7	W 423 FC	(-)	Brace, Blade (2 used)

LIFT SHAFT AND SUPPORTS




Key	Part No.	Year	Description
1	11H 141 H	(-)	Pin, Cotter, 5/16" x 2-1/4" (2 used)
2	24H 346 H	(-)	Washer, Plain, 1-7/8" x 2-7/16" No. 16 (4 used)
3	11H 86 B	(-)	Pin, Cotter, 3/16" x 1-3/4" (4 used)
4	W 425 FC	(-)	Pin, Lift Strap (3 used)
5	AW 58 FC	(-)	Strap, Lift, Welded (2 used)
6	JD 7759	(-)	Fitting, Grease, Straight, 1/8" (2 used)
7	W 420 FC	(-)	Plate, Bolt, Front (2 used)
8	12H 15 R	(-)	Washer, Lock, 5/8" (12 used)
9	14H 106 A	(-)	Nut, Hex., Hot Press, American Standard, 5/8" (12 used)
10	AW 54 FC	(-)	Support, Right, Welded (With Bushing)
11	W 421 FC	(-)	U-Bolt, 5/8" Dia. (6 used)
12	8H 2637 C	(-)	Bolt, Mach., Hex. Hd., N.F. Thread, 3/4" x 3", with Hex. Nut (4 used)
13	24H 630 A	(-)	Washer, Plain, 2" x 13/16", No. 10 (6 used)
14	W 432 FC	(-)	Bushing, Pusher Arm (2 used)
15	12H 17 R	(-)	Washer, Lock, 3/4" (4 used)
16	AW 53 FC	(-)	Support, Left, Welded (With Bushing)
17	W 427 FC	(-)	Bushing, Beam Support (2 used)
18	AW 52 FC	(-)	Shaft, Lift, Welded
19	W 430 FC	(-)	Yoke, Adjustable
20	14H 413 D	(-)	Nut, Hex. Finished, N.F. Thread, 1-1/8"
21	W 429 FC	(-)	Rod, Lift, Left
22	W 424 FC	(-)	Bushing, Lift Strap (2 used)
23	W 426 FC	(-)	Pin, Lift Yoke
24	W 442 FC	(-)	Bushing (2 used)

FRAME




Key	Part No.	Year	Description
1	8H 2635 C	(—)	Bolt, Mach., Hex. Hd., N.F. Thread, 3/4" x 2", with Hex. Nut (4 used)
2	12H 17 R	(—)	Washer, Lock, 3/4" (6 used)
3	AW 57 FC	(—)	Attaching Angle, Blade, Welded
4	8H 2628 C	(—)	Bolt, Mach., Hex. Hd., N.F. Thread, 5/8" x 2", with Hex. Nut (4 used)
5	12H 15 R	(—)	Washer, Lock, 5/8" (14 used)
6	8H 2631 C	(—)	Bolt, Mach., Hex. Hd., N.F. Thread, 5/8" x 2-1/2", with Hex. Nut (6 used)
7	W 422 FC	(—)	Brace, Corner (2 used)
8	W 418 FC	(—)	Block, Depth Shoe (2 used)
9	8H 2633 C	(—)	Bolt, Mach., Hex. Hd., N.F. Thread, 5/8" x 4", with Hex. Nut (4 used)
10	AW 56 FC	(—)	Arm, Pusher, Welded (2 used)
11	8H 3356 C	(—)	Bolt, Mach., Hex. Hd., N.F. Thread, 3/4" x 2-1/2", with Hex. Nut (2 used)
12		(1954—)	Bolt, Plow, No. 3, 5/8" x 3", with Nut (Four-Roller Track)
13		(1954—)	Bolt, Plow, No. 3, 3/4" x 3", with Nut (Four-Roller Track)
14	W 501 FC	(1954—)	Plate, Guide (Four-Roller Track)
15	AW 97 FC	(1954—)	Plate, Guide, with Bolts (Four-Roller Track)

DEPTH SHOES



Key	Part No.	Year	Description
1	E 640 FD	(-)	Screw, Set, Low Head, Cup Point, 3/8" x 5/8" (2 used)
2	B 268 FD	(-)	Collar, Flanged (10 used)
3	AW 59 FW	(-)	Shoe, Depth, with Shank (2 used)

END PLATES



Key	Part No.	Year	Description
1	W 433 FC	(-)	Plate, End (2 used)
2	8H 2635 C	(-)	Bolt, Mach., Hex. Hd., Fine thread, 3/4" x 2", with Nut (2 used)
3	12H 17 R	(-)	Washer, Lock, 3/4" (2 used)

BULLDOZER—MC60 **NUMERICAL INDEX**

7

Part No.	Page No.	Key	Part No.	Page No.	Key	Part No.	Page No.	Key	Part No.	Page No.	Key
			AW			E					
2H 624 H.....	3	2							W 420 FC.....	4	7
8H 2628 C.....	5	4				E 640 FD.....	6	1	W 421 FC.....	4	11
8H 2631 C.....	5	6	AW 52 FC.....	4	18				W 422 FC.....	5	7
8H 2633 C.....	5	9	AW 53 FC.....	4	16				W 423 FC.....	3	7
8H 2635 C.....	3	5	AW 54 FC.....	4	10				W 424 FC.....	4	22
			AW 55 FC.....	3	4				W 425 FC.....	4	4
8H 2637 C.....	4	12	AW 56 FC.....	5	10				W 426 FC.....	4	23
8H 3356 C.....	5	11				JD			W 427 FC.....	4	17
11H 86 B.....	4	3	AW 57 FC.....	5	3				W 429 FC.....	4	21
11H 141 H.....	4	1	AW 58 FC.....	4	5	JD 7759.....	4	6	W 430 FC.....	4	19
12H 13 R.....	3	1	AW 59 FW.....	6	3				W 432 FC.....	4	14
			AW 97 FC.....	5	15				W 433 FC.....	6	1
12H 15 R.....	4	8	B			W			W 442 FC.....	4	24
12H 17 R.....	3	6				W 227 FW.....	3	3	W 501 FC.....	5	14
14H 106 A.....	4	9	B 268 FD.....	6	2	W 418 FC.....	5	8			
14H 413 D.....	4	20									
24H 346 H.....	4	2									
24H 630 A.....	4	13									

