


Crane CH175

WJTF4217 A.1



Crane CH175

Boom TJ210

(Manufactured 2005 —)

(Specifications and design are subject to change without notice)

To The Customer

The part numbers in this Parts Catalog were correct at the time of publication. Per John Deere policy, we continuously improve our products. Therefore, when ordering parts verify the part numbers with your dealer.

SI Units of Measure

Metric dimensions are provided as applicable throughout this parts catalog.

Bolt and Cap Screw Strength Identification

Bolts and cap screws required to have high-strength qualities equivalent to metric property class 10.9 (SAE grade 8) or higher are identified throughout this catalog by the description 10.9, 12.9 or 14.9. All standard bolts and cap screws are metric property class 8.8 (SAE grade 5) or lower.

Serial Number Listing Information

Serial number information is listed to show on which machines each part can be used; for example:

- The part can be used on all products.
- 000000 — The part can be used on products beginning with the serial number listed.
- 000000 The part can be used on products up to and including the serial number listed.
- 000000 — 000000 The part can be used on products between and including the serial number listed.

When XXXXXX's are listed in place of a serial number, a serial number change was made, but the exact serial number was not available at the time of publication.

Illustrations

Illustrations in this catalog are only intended as a reference for dealers and customers. These illustrations do not necessarily represent the exact view of the parts.

Box-Enclosed Illustrations

Box-enclosed keyed parts in the illustration are available as a service assembly or an attachment. These parts may also include parts not available for service. The illustrations may not show all individual parts of an attachment. A box not keyed includes non-current parts.

Orientation Of Product

An arrow shown with an illustration is to indicate the direction of product forward travel. Right Hand (RH) and Left Hand (LH) sides are determined by product forward travel.

Orientation of Engine

Right Hand (RH) and Left Hand (LH) sides are determined by standing at flywheel and facing the engine.

John Deere Remanufactured Components

The REMAN parts listed in this catalog are intended for the repair or replacement of failed or worn original equipment components. John Deere Reman components are manufactured to stringent John Deere standards and produced to original John Deere specifications that incorporates the latest design and performance improvement updates.

John Deere Forestry — Trademarks

Throughout this parts catalog, you may find the following Deere and Company trademarks:

JDLink™	John Deere™	Deere™
FlexController™	MTH™	TimberCare™
VarioSpeed™	Waratah™	Waratah Built to Work™

Remarks and Abbreviations

The following remarks and abbreviations may appear throughout this parts catalog. Refer to the following table for translations.

Phrase	Meaning	Phrase	Meaning
A/C	Air Conditioning	MFWD	Mechanical Front Wheel Drive
ALS	Active Load Space	NA	Not Applicable
ALSO ORDER	Also Order	NLA	No Longer Available
ALTERNATIVE	Alternative	NSEP	Not Supplied Separately
APPL	This application only	OD	Outside Diameter
AR	As required	OPTION	Option
ASSY	Complete assembly	OPTIONAL	Optional
BOOM	Boom	OR	Or
CAC	Charge Air Cooler	ORD	Order
CAN	Controlled Area Network	ORD W/	Order With
CCW	Counterclockwise	OS	Oversize
COMPLETE	Complete	OUTER	Outer
COMPONENTS ON SEPARATE PAGE	Components on Separate Page	PC	Personal Computer
CTL	Cut To Length	PKG	Package
CW	Clockwise	PTO	Power Take Off
ENGINE	Engine	RATIO	Ratio
FOR	For	REAR	Rear
FRAME	Frame	REMAN	Remanufactured
FRONT	Front	RH	Right Hand
GPS	Global Positioning System	S	Thickness
HFWD	Hydraulic Front-Wheel Drive	SHORT	Short
HS, HEAD MARKED	High Strength, Head Marked	SN	Serial Number
ID	Inside Diameter	STD	Standard
INCLUDES	Includes	SUB	Replaced by
INNER	Inner	SUB FOR	Substitute for
KIT	Kit	TK	Thickness
LF	Line Fill	UP	Upper
LGTH	Length	US	Undersize
LH	Left Hand	USE WITH	Use with
LONG	Long	VLS	Variable Load Space
LOW	Lower	W/	With
LT	Long Track	W/O	Without
MAIN	Main	WT	Wide Track
MARKED	Marked	XLT	Extra Long Track
MF	Make From	Z	Gear and Sprocket Teeth Number

Product Identification Number
WJ01280 A.1

○

○

CH _____

Nr _____

Year/Vuosi _____

○

○

1

2


3

WJ01280

1.	CH	Complete Model Number of Product
2.	Nr	The Product Serial Number
3.	Year	Year Code of Manufacture

Serial Number Location

WJTF4218 A.1



CH	_____
Nr	_____
Year/vuosi	_____

WJTF4218